

Kissinger, Lon

From: Grepo-Grove, Gina
Sent: Friday, April 25, 2014 9:30 AM
To: Kissinger, Lon; Fleming, Sheila
Subject: RE: SVT Fish Tissue contaminant study

Thanks Lon.

Ginna Grepo-Grove
R10 QA Manager
USEPA
1200 6th Avenue Suite 900 MS/OEA-095
Seattle WA 98101
grepo-grove.gina@epa.gov

From: Kissinger, Lon
Sent: Friday, April 25, 2014 9:04 AM
To: Grepo-Grove, Gina; Fleming, Sheila
Subject: RE: SVT Fish Tissue contaminant study

Reviewing it now...

-----Original Message-----

From: Grepo-Grove, Gina
Sent: Friday, April 25, 2014 8:26 AM
To: Fleming, Sheila
Cc: Kissinger, Lon
Subject: RE: SVT Fish Tissue contaminant study

SVT would like to start collecting fish in May.

Ginna Grepo-Grove
R10 QA Manager
USEPA
1200 6th Avenue Suite 900 MS/OEA-095
Seattle WA 98101
grepo-grove.gina@epa.gov

From: Fleming, Sheila
Sent: Thursday, April 24, 2014 1:43 PM
To: Grepo-Grove, Gina
Cc: Kissinger, Lon
Subject: RE: SVT Fish Tissue contaminant study

Hi Ginna,
It sounds like there may be quite a few deficiencies that need to be addressed in this QAPP. What is the turnaround time?
Sheila

Sheila Fleming, PE
Risk Evaluation Unit Manager
US EPA Region 10
1200 Sixth Avenue, Suite 900, M/S OEA-095 Seattle, WA 98101-3140
Tel: 206-553-1417
fleming.sheila@epa.gov<mailto:fleming.sheila@epa.gov>

From: Grepo-Grove, Gina
Sent: Monday, April 21, 2014 3:27 PM
To: Fleming, Sheila
Cc: Kissinger, Lon
Subject: SVT Fish Tissue contaminant study

Hello the QAPP is attached. I am reviewing the QAPP which needs more info and details – like fish size, homogenization SOP, analytical methods, reporting limits etc.

Ginna Grepo-Grove
Quality Assurance Manager
USEPA Region 10
Suite 900 OEA-095
1200 6th Avenue
Seattle WA 98101
Phone Number: (206) 553-1632
grepo-grove.gina@epa.gov<mailto:grepo-grove.gina@epa.gov>